



**ARTFX**  
T R A U M A



**CATALOG**

## ▶ ABOUT US

ARTFX Medical is a privately held trauma implant company located in the U.S.A. We offer an extensive array of innovative, surgeon focused systems designed with the best clinical outcomes in mind. Our various devices are CE or FDA approved and we follow all ISO rules and regulations.

ARTFX Medical is continuously building a portfolio of the highest quality, safe, effective and affordable trauma implants. We are committed to always staying ahead of market trends and to provide surgeons all over the world with dynamic solutions for their patients. With distributors in over 30 countries and counting, we are only a phone call or e-mail away.

## ▶ QUIÉNES SOMOS

ARTFX Medical es una compañía privada de implantes trauma ubicada en los EE.UU. Ofrecemos una amplia gama de sistemas innovadores centrados en el/ la cirujano(a) diseñados con los mejores resultados clínicos en mente. Nuestros diversos dispositivos están aprobados por el mercado CE o la FDA (Food And Drug Administration) y seguimos todas las normas ISO (International Standardization Organization).

ARTFX Medical está construyendo continuamente una cartera de implantes trauma de la más alta calidad, seguridad, efectividad y asequibilidad. Estamos comprometidos a estar siempre a la vanguardia de las tendencias del mercado y proporcionar a los/las cirujano (a)s de todo el mundo soluciones dinámicas para sus pacientes. Tenemos distribuidores en más de 30 países y contando, estamos para servirle a solo una llamada telefónica o un correo electrónico de distancia.





**3.5 SYSTEM**

## ▶ CLAVICULA SHAFT LOCKING PLATE, COMBI HOLE




CATALOG NO	SIDE	HOLE	LENGTH (mm)
5393504	L	4	49
5393505	L	5	60
5393506	L	6	72
5393507	L	7	84
5393508	L	8	96
5393509	L	9	107
5393510	L	10	118
5393511	L	11	129
5393512	L	12	140
5403504	R	4	49
5403505	R	5	60
5403506	R	6	72
5403507	R	7	84
5403508	R	8	96
5403509	R	9	107
5403510	R	10	118
5403511	R	11	129
5403512	R	12	140

<b>Thickness</b>	3.0 mm
<b>Width</b>	10 mm

Screws for this product
2.7 mm - Locking Self Tapping Screw
3.5 mm - Locking Self Tapping Screw
3.5 mm - Cortical Self Tapping Screw
3.5 mm - Locking Cancellous Screw
4.0 mm - Cancellous Screw

## ▶ CLAVICULA DISTAL LOCKING PLATE, COMBI HOLE



CATALOG NO	SIDE	HOLE	LENGTH (mm)
5433503	L	3	54
5433504	L	4	67
5433505	L	5	80
5433506	L	6	93
5433507	L	7	106
5433508	L	8	119
5433509	L	9	132
5433510	L	10	145
5443503	R	3	54
5443504	R	4	67
5443505	R	5	80
5443506	R	6	93
5443507	R	7	106
5443508	R	8	119
5443509	R	9	132
5443510	R	10	145

<b>Thickness</b>	3.4 mm
<b>Width</b>	10 mm

Screws for this product
2.7 mm - Locking Self Tapping Screw
3.5 mm - Locking Self Tapping Screw
3.5 mm - Cortical Self Tapping Screw
3.5 mm - Locking Cancellous Screw
4.0 mm - Cancellous Screw

## ▶ CLAVICULA HOOK LOCKING PLATE, COMBI HOLE



CATALOG NO	SIDE	HOLE	LENGTH (mm)
5413503	L	3	57
5413504	L	4	72
5413505	L	5	87
5413506	L	6	102
5413507	L	7	117
5413508	L	8	132
5423503	R	3	57
5423504	R	4	72
5423505	R	5	87
5423506	R	6	102
5423507	R	7	117
5423508	R	8	132

Thickness	3.5 mm
Width	11 mm

Screws for this product
2.7 mm - Locking Self Tapping Screw
3.5 mm - Locking Self Tapping Screw
3.5 mm - Cortical Self Tapping Screw
3.5 mm - Locking Cancellous Screw
4.0 mm - Cancellous Screw

## ▶ HUMERUS PROXIMAL LOCKING PLATE, COMBI HOLE



CATALOG NO	HOLE	LENGTH (mm)
5623503	3	105
5623504	4	122
5623505	5	139
5623506	6	156
5623507	7	173
5623508	8	190
5623509	9	207
5623510	10	224
5623511	11	241
5623512	12	258
5623513	13	275

Thickness	4.0 mm
Width	12 mm

Screws for this product
3.5 mm - Locking Self Tapping Screw
3.5 mm - Cortical Self Tapping Screw
3.5 mm - Locking Cancellous Screw
4.0 mm - Cancellous Screw

## ▶ SMALL 3.5 TP2 COMPRESSION PLATE, COMBI HOLE




CATALOG NO	HOLE	LENGTH (mm)
5 3 3 3 5 2 5	4	62
5 3 3 3 5 2 6	5	74.50
5 3 3 3 5 2 7	6	87
5 3 3 3 5 2 8	7	99.50
5 3 3 3 5 2 9	8	112
5 3 3 3 5 3 0	9	124.50
5 3 3 3 5 3 1	10	137
5 3 3 3 5 3 2	11	149.50
5 3 3 3 5 3 3	12	162
5 3 3 3 5 3 4	13	174.50
5 3 3 3 5 3 5	14	187

<b>Thickness</b>	3.2 mm
<b>Width</b>	13 mm

Screws for this product	
3.5 mm - Locking Self Tapping Screw	
3.5 mm - Cortical Self Tapping Screw	
3.5 mm - Locking Cancellous Screw	
4.0 mm - Cancellous Screw	

## ▶ HUMERUS DISTAL LATERAL LOCKING PLATE, COMBI HOLE




CATALOG NO	SIDE	HOLE	LENGTH (mm)
5 7 3 3 5 0 3	L	3	85
5 7 3 3 5 0 4	L	4	98
5 7 3 3 5 0 5	L	5	111
5 7 3 3 5 0 6	L	6	124
5 7 3 3 5 0 7	L	7	137
5 7 3 3 5 0 8	L	8	150
5 7 3 3 5 0 9	L	9	163
5 7 3 3 5 1 0	L	10	176
5 7 3 3 5 1 1	L	11	189
5 7 3 3 5 1 2	L	12	202
5 7 3 3 5 1 3	L	13	215
5 7 4 3 5 0 3	R	3	85
5 7 4 3 5 0 4	R	4	98
5 7 4 3 5 0 5	R	5	111
5 7 4 3 5 0 6	R	6	124
5 7 4 3 5 0 7	R	7	137
5 7 4 3 5 0 8	R	8	150
5 7 4 3 5 0 9	R	9	163
5 7 4 3 5 1 0	R	10	176
5 7 4 3 5 1 1	R	11	189
5 7 4 3 5 1 2	R	12	202
5 7 4 3 5 1 3	R	13	215

<b>Thickness</b>	3.5 mm
<b>Width</b>	11 mm

Screws for this product	
3.5 mm - Locking Self Tapping Screw	
3.5 mm - Cortical Self Tapping Screw	
3.5 mm - Locking Cancellous Screw	
4.0 mm - Cancellous Screw	

## ▶ HUMERUS DISTAL POSTEROLATERAL LOCKING PLATE COMBI HOLE




CATALOG NO	SIDE	HOLE	LENGTH (mm)
5753503	L	3	74
5753504	L	4	85
5753505	L	5	98
5753506	L	6	111
5753507	L	7	124
5753508	L	8	137
5753509	L	9	150
5753510	L	10	163
5753511	L	11	176
5753512	L	12	189
5753513	L	13	202
5763503	R	3	74
5763504	R	4	85
5763505	R	5	98
5763506	R	6	111
5763507	R	7	124
5763508	R	8	137
5763509	R	9	150
5763510	R	10	163
5763511	R	11	176
5763512	R	12	189
5763513	R	13	202

<b>Thickness</b>	3.0 mm
<b>Width</b>	12 mm

### Screws for this product

- 3.5 mm - Locking Self Tapping Screw
- 3.5 mm - Cortical Self Tapping Screw
- 3.5 mm - Locking Cancellous Screw
- 4.0 mm - Cancellous Screw

## ▶ HUMERUS DISTAL MEDIAL LOCKING PLATE, COMBI HOLE




CATALOG NO	SIDE	HOLE	LENGTH (mm)
5773503	L	3	70
5773504	L	4	82
5773505	L	5	95
5773506	L	6	108
5773507	L	7	121
5773508	L	8	134
5773509	L	9	147
5773510	L	10	160
5773511	L	11	173
5773512	L	12	186
5773513	L	13	199
5783503	R	3	70
5783504	R	4	82
5783505	R	5	95
5783506	R	6	108
5783507	R	7	121
5783508	R	8	134
5783509	R	9	147
5783510	R	10	160
5783511	R	11	173
5783512	R	12	186
5783513	R	13	199

<b>Thickness</b>	3.0 mm
<b>Width</b>	11 mm

### Screws for this product

- 3.5 mm - Locking Self Tapping Screw
- 3.5 mm - Cortical Self Tapping Screw
- 3.5 mm - Locking Cancellous Screw
- 4.0 mm - Cancellous Screw

## ▶ OLECRANON LOCKING PLATE, COMBI HOLE




CATALOG NO	SIDE	HOLE	LENGTH (mm)
5453503	L	3	101
5453504	L	4	110
5453505	L	5	125
5453506	L	6	138
5453507	L	7	151
5453508	L	8	164
5453509	L	9	177
5453510	L	10	190
5453511	L	11	203
5453512	L	12	216
5453513	L	13	229
5463503	R	3	101
5463504	R	4	110
5463505	R	5	125
5463506	R	6	138
5463507	R	7	151
5463508	R	8	164
5463509	R	9	177
5463510	R	10	190
5463511	R	11	203
5463512	R	12	216
5463513	R	13	229

Thickness	3.0 mm
Width	10 mm

Screws for this product
3.5 mm - Locking Self Tapping Screw
3.5 mm - Cortical Self Tapping Screw
3.5 mm - Locking Cancellous Screw
4.0 mm - Cancellous Screw

## ▶ OLECRANON HOOK LOCKING PLATE, COMBI HOLE




CATALOG NO	HOLE	LENGTH (mm)
5473503	3	53
5473504	4	67
5473505	5	81
5473506	6	95
5473507	7	109
5473508	8	123
5473509	9	137

Thickness	3.0 mm
Width	10 mm

Screws for this product
3.5 mm - Locking Self Tapping Screw
3.5 mm - Cortical Self Tapping Screw
3.5 mm - Locking Cancellous Screw
4.0 mm - Cancellous Screw



▶ PROXIMAL RADIUS LOCKING PLATE, COMBI HOLE




CATALOG NO	SIDE	HOLE	LENGTH (mm)
5 3 1 2 5 0 2	L	2	33
5 3 1 2 5 0 3	L	3	42
5 3 1 2 5 0 4	L	4	51
5 3 1 2 5 0 5	L	5	60
5 3 1 2 5 0 6	L	6	69
5 3 2 2 5 0 2	R	2	33
5 3 2 2 5 0 3	R	3	42
5 3 2 2 5 0 4	R	4	51
5 3 2 2 5 0 5	R	5	60
5 3 2 2 5 0 6	R	6	69

Thickness	1.9 mm
Width	9 mm

Screws for this product
2.5 mm - Locking Self Tapping Screw
2.5 mm - Cortical Self Tapping Screw

▶ SMALL 3.5 COMPRESSION PLATE, COMBI HOLE



CATALOG NO	HOLE	LENGTH (mm)
5 3 3 3 5 1 4	4	62
5 3 3 3 5 1 5	5	74.50
5 3 3 3 5 1 6	6	87
5 3 3 3 5 1 7	7	99.50
5 3 3 3 5 1 8	8	112
5 3 3 3 5 1 9	9	124.50
5 3 3 3 5 1 0	10	137
5 3 3 3 5 1 1	11	149.50
5 3 3 3 5 1 2	12	162
5 3 3 3 5 1 3	13	174.50
5 3 3 3 5 2 4	14	187

Thickness	3.2 mm
Width	12 mm

Screws for this product
3.5 mm - Locking Self Tapping Screw
3.5 mm - Cortical Self Tapping Screw
3.5 mm - Locking Cancellous Screw
4.0 mm - Cancellous Screw

## TUBULAR LOCKING PLATE, COMBI HOLE



CATALOG NO	HOLE	LENGTH (mm)
5483504	4	54
5483505	5	66
5483506	6	78
5483507	7	90
5483508	8	102
5483509	9	114
5483510	10	126
5483511	11	138
5483512	12	150

<b>Thickness</b>	1.4 mm
<b>Width</b>	10 mm

Screws for this product
3.5 mm - Locking Self Tapping Screw
3.5 mm - Cortical Self Tapping Screw
3.5 mm - Locking Cancellous Screw
4.0 mm - Cancellous Screw




## RECONSTRUCTION SHAFT LOCKING PLATE, COMBI HOLE




CATALOG NO	HOLE	LENGTH (mm)
5494004	4	48
5494005	5	60.50
5494006	6	72
5494007	7	84
5494008	8	96
5494009	9	108
5494010	10	120
5494011	11	132
5494012	12	144
5494013	13	156
5494014	14	168
5494015	15	180
5494016	16	192
5494017	17	204
5494018	18	216
5494019	19	228
5494020	20	240

<b>Thickness</b>	3.0 mm
<b>Width</b>	10 mm

Screws for this product
3.5 mm - Locking Self Tapping Screw
3.5 mm - Cortical Self Tapping Screw
3.5 mm - Locking Cancellous Screw



## ▶ RADIUS DISTAL VOLAR LOCKING PLATE




CATALOG NO	SIDE	HOLE	LENGTH (mm)
5292502	L	2	51
5292503	L	3	59
5292504	L	4	67
5292505	L	5	75
5292506	L	6	83
5292507	L	7	91
5292508	L	8	99
5292509	L	9	107
5302502	R	2	51
5302503	R	3	59
5302504	R	4	67
5302505	R	5	75
5302506	R	6	83
5302507	R	7	91
5302508	R	8	99
5302509	R	9	107

<b>Thickness</b>	2.0 mm
<b>Width</b>	8.5 mm

Screws for this product
2.5 mm - Locking Self Tapping Screw
2.5 mm - Cortical Self Tapping Screw

## ▶ RADIUS DISTAL VOLAR LOCKING PLATE, SMALL




CATALOG NO	SIDE	HOLE	LENGTH (mm)
5292602	L	2	51
5292603	L	3	59
5292604	L	4	67
5292605	L	5	75
5292606	L	6	83
5292607	L	7	91
5292608	L	8	99
5292609	L	9	107
5302602	R	2	51
5302603	R	3	59
5302604	R	4	67
5302605	R	5	75
5302606	R	6	83
5302607	R	7	91
5302608	R	8	99
5302609	R	9	107

<b>Thickness</b>	2.0 mm
<b>Width</b>	8.5 mm

Screws for this product
2.5 mm - Locking Self Tapping Screw
2.5 mm - Cortical Self Tapping Screw

## ▶ RADIUS DISTAL VOLAR LOCKING PLATE, TP2




CATALOG NO	SIDE	HOLE	LENGTH (mm)
5292702	L	2	51
5292703	L	3	59
5292704	L	4	67
5292705	L	5	75
5292706	L	6	83
5292707	L	7	91
5292708	L	8	99
5292709	L	9	107
5302702	R	2	51
5302703	R	3	59
5302704	R	4	67
5302705	R	5	75
5302706	R	6	83
5302707	R	7	91
5302708	R	8	99
5302709	R	9	107

<b>Thickness</b>	2.0 mm
<b>Width</b>	8.5 mm

<b>Screws for this product</b>
2.5 mm - Locking Self Tapping Screw
2.5 mm - Cortical Self Tapping Screw

## ▶ RADIUS DISTAL DORSAL L LOCKING PLATE



CATALOG NO	SIDE	HOLE	LENGTH (mm)
5272501	L	3	42
5272502	L	4	48
5272503	L	5	54
5272504	L	6	60
5282505	R	3	42
5282506	R	4	48
5282507	R	5	54
5282508	R	6	60

<b>Thickness</b>	1.8 mm
<b>Width</b>	7.5 mm

<b>Screws for this product</b>
2.5 mm - Locking Self Tapping Screw
2.5 mm - Cortical Self Tapping Screw


## ▶ RADIUS DISTAL STALOID PLATE



CATALOG NO	HOLE	LENGTH (mm)
5 2 8 2 6 0 8	8	68.50

<b>Thickness</b>	1.8 mm
<b>Width</b>	7.0 mm

Screws for this product
2.5 mm - Locking Self Tapping Screw
2.5 mm - Cortical Self Tapping Screw




## ▶ RADIUS DISTAL TORSAL T LOCKING PLATE




CATALOG NO	HOLE	LENGTH (mm)
5 2 6 2 5 0 3	3	34
5 2 6 2 5 0 4	4	40
5 2 6 2 5 0 5	5	46
5 2 6 2 5 0 6	6	52

<b>Thickness</b>	2.0 mm
<b>Width</b>	7 mm

Screws for this product
2.5 mm - Locking Self Tapping Screw
2.5 mm - Cortical Self Tapping Screw



## ▶ DISTAL ULNA LOCKING PLATE




CATALOG NO	SIDE	HOLE	LENGTH (mm)
5363503	L	3	49
5363504	L	4	60
5363505	L	5	71
5363506	L	6	86
5363507	L	7	97
5363508	L	8	112
5363509	L	9	123
5353503	R	3	49
5353504	R	4	60
5353505	R	5	71
5353506	R	6	86
5353507	R	7	97
5353508	R	8	112
5353509	R	9	123

<b>Thickness</b>	2.5 mm
<b>Width</b>	9 mm

Screws for this product
2.5 mm - Locking Self Tapping Screw
2.5 mm - Cortical Self Tapping Screw
2.7 mm - Locking Self Tapping Screw
3.5 mm - Cortical Self Tapping Screw
3.5 mm - Locking Cancellous Screw

## ▶ DISTAL ULNA LOCKING HOOK PLATE, COMBI HOLE




CATALOG NO	HOLE	LENGTH (mm)
5353510	3	29
5353511	4	35
5353512	5	42
5353513	6	48
5353514	7	54
5353515	8	60
5353516	9	66
5353517	10	72

<b>Thickness</b>	1.7 mm
<b>Width</b>	6 mm

Screws for this product
2.5 mm - Locking Self Tapping Screw
2.5 mm - Cortical Self Tapping Screw
2.7 mm - Locking Self Tapping Screw
3.5 mm - Cortical Self Tapping Screw
3.5 mm - Locking Cancellous Screw

## ▶ METACARPAL HANDWRIST ARTRODESIS PLATE MINI COMBI HOLE




CATALOG NO	SIZE
5912500	SMALL
5912501	MEDIUM
5912502	LARGE

<b>Thickness</b>	3.0 mm
<b>Width</b>	12 mm

Screws for this product
2.5 mm - Locking Self Tapping Screw
3.5 mm - Locking Self Tapping Screw
3.5 mm - Cortical Self Tapping Screw
3.5 mm - Locking Cancellous Screw
4.0 mm - Cancellous Screw

## ▶ PELVIC RECONSTRUCTION CURVING LOCKING PLATE




CATALOG NO	HOLE	LENGTH (mm)
5993504	4	47
5993505	5	61
5993506	6	73
5993507	7	85
5993508	8	97
5993509	9	108
5993510	10	119
5993511	11	130
5993512	12	140
5993513	13	150
5993514	14	157

<b>Thickness</b>	2.5 mm
<b>Width</b>	10 mm

Screws for this product
3.5 mm - Locking Self Tapping Screw
3.5 mm - Cortical Self Tapping Screw
3.5 mm - Locking Cancellous Screw

## ▶ PELVIC RECONSTRUCTION STRAIGHT LOCKING PLATE




CATALOG NO	HOLE	LENGTH (mm)
6003504	4	52
6003505	5	62
6003506	6	72
6003507	7	82
6003508	8	92
6003509	9	102
6003510	10	112
6003511	11	122
6003512	12	132
6003513	13	142
6003514	14	152
6003515	15	162
6003516	16	172

<b>Thickness</b>	2.5 mm
<b>Width</b>	10 mm

Screws for this product
3.5 mm - Locking Self Tapping Screw
3.5 mm - Cortical Self Tapping Screw
3.5 mm - Locking Cancellous Screw

## ▶ PELVIC SYMPHYSEAL PLATE



CATALOG NO	HOLE	LENGTH (mm)
5993614	4	52
5993615	4	55
5993616	4	58

<b>Thickness</b>	2.5 mm
<b>Width</b>	10 mm


Screws for this product
3.5 mm - Locking Self Tapping Screw
3.5 mm - Cortical Self Tapping Screw
3.5 mm - Locking Cancellous Screw





**4.5 SYSTEM**

## ▶ FEMUR PROXIMAL LOCKING PLATE, COMBI HOLE




CATALOG NO	SIDE	HOLE	LENGTH (mm)
5607003	L	3	120
5607004	L	4	138
5607005	L	5	156
5607006	L	6	174
5607007	L	7	192
5607008	L	8	210
5607009	L	9	228
5607010	L	10	246
5607011	L	11	264
5607012	L	12	282
5607013	L	13	300
5615503	R	3	120
5615504	R	4	138
5615505	R	5	156
5615506	R	6	174
5615507	R	7	192
5615508	R	8	210
5615509	R	9	228
5615510	R	10	246
5615511	R	11	264
5615512	R	12	282
5615513	R	13	300

<b>Thickness</b>	5.5 mm
<b>Width</b>	17.5 mm

Screws for this product	
5.0 mm	Locking Self Tapping Screw
4.5 mm	Cortical Self Tapping Screw
5.0 mm	Locking Cancellous Screw

## ▶ SMALL FEMUR PROXIMAL LOCKING PLATE, COMBI HOLE




CATALOG NO	HOLE	ANGLE	LENGTH (mm)
5607103	3	100°	76
5607203	3	110°	76
5607104	4	120°	75
5607106	6	120°	101
5607303	3	150°	64
5607403	3	100°	82
5607503	3	110°	82
5607404	4	120°	83
5607406	6	120°	113
5607603	3	150°	70

<b>Thickness</b>	3.5 mm
<b>Width</b>	12.5 mm

Screws for this product	
3.5 mm	Locking Self Tapping Screw
3.5 mm	Cortical Self Tapping Screw
3.5 mm	Locking Cancellous Screw
4.0 mm	Cancellous Screw
5.0 mm	Locking Self Tapping Screw
5.0 mm	Cortical Self Tapping Screw

## ▶ LARGE BROAD LOCKING PLATE, COMBI HOLE




CATALOG NO	HOLE	LENGTH (mm)
5515005	5	105
5515006	6	123
5515007	7	141
5515008	8	159
5515009	9	177
5515010	10	195
5515011	11	213
5515012	12	231
5515013	13	249
5515014	14	267
5515015	15	285
5515016	16	303
5515018	18	339
5515020	20	375

<b>Thickness</b>	5.5 mm
<b>Width</b>	18 mm

Screws for this product	
5.0 mm - Locking Self Tapping Screw	
4.5 mm - Cortical Self Tapping Screw	
5.0 mm - Locking Cancellous Screw	

## ▶ FEMUR DISTAL LOCKING PLATE, COMBI HOLE




CATALOG NO	SIDE	HOLE	LENGTH (mm)
5565005	L	5	160
5565006	L	6	178
5565007	L	7	196
5566008	L	8	214
5566009	L	9	232
5566010	L	10	250
5566011	L	11	268
5566012	L	12	286
5566013	L	13	304
5576005	R	5	160
5576006	R	6	178
5576007	R	7	196
5576008	R	8	214
5576009	R	9	232
5576010	R	10	250
5576011	R	11	268
5576012	R	12	286
5576013	R	13	304

<b>Thickness</b>	5.5 mm
<b>Width</b>	16 mm

Screws for this product	
5.0 mm - Locking Self Tapping Screw	
4.5 mm - Cortical Self Tapping Screw	
5.0 mm - Locking Cancellous Screw	

▶ TIBIA HIGH OSTEOTOMY PLATE, COMBI HOLE




CATALOG NO	SIZE	LENGTH (mm)
2 9 3 3 5 0 5	SMALL	93
5 9 2 3 5 0 6	LARGE	116

<b>Thickness</b>	3.5 mm
<b>Width</b>	16 mm

Screws for this product
5.0 mm - Locking Self Tapping Screw
4.5 mm - Cortical Self Tapping Screw
5.0 mm - Locking Cancellous Screw

▶ LARGE BROAD T LOCKING PLATE, COMBI HOLE




CATALOG NO	HOLE	LENGTH (mm)
5 5 2 5 0 0 3	3	89
5 5 2 5 0 0 4	4	105
5 5 2 5 0 0 5	5	121
5 5 2 5 0 0 6	6	137
5 5 2 5 0 0 7	7	153
5 5 2 5 0 0 8	8	169

<b>Thickness</b>	3.0 mm
<b>Width</b>	15.5 mm

Screws for this product
5.0 mm - Locking Self Tapping Screw
4.5 mm - Cortical Self Tapping Screw
5.0 mm - Locking Cancellous Screw

▶ LARGE BROAD T SUPPORT LOCKING PLATE, COMBI HOLE




CATALOG NO	HOLE	LENGTH (mm)
5535014	4	116
5535015	5	134
5535016	6	152

<b>Thickness</b>	3.5 mm
<b>Width</b>	15.5 mm

Screws for this product
5.0 mm - Locking Self Tapping Screw
4.5 mm - Cortical Self Tapping Screw
5.0 mm - Locking Cancellous Screw

▶ LARGE BROAD L SUPPORT LOCKING PLATE, COMBI HOLE




CATALOG NO	SIDE	HOLE	LENGTH (mm)
5545003	L	3	73
5545004	L	4	89
5545005	L	5	105
5545006	L	6	121
5545007	L	7	137
5545008	L	8	153
5555003	R	3	73
5555004	R	4	89
5555005	R	5	105
5555006	R	6	121
5555007	R	7	137
5555008	R	8	153

<b>Thickness</b>	3.0 mm
<b>Width</b>	16 mm

Screws for this product
5.0 mm - Locking Self Tapping Screw
4.5 mm - Cortical Self Tapping Screw
5.0 mm - Locking Cancellous Screw

## ▶ TIBIA PROXIMAL LATERAL LOCKING PLATE, COMBI HOLE




CATALOG NO	SIDE	HOLE	LENGTH (mm)
5673503	L	3	112
5673504	L	4	131
5673505	L	5	150
5673506	L	6	169
5673507	L	7	188
5673508	L	8	207
5673509	L	9	226
5675010	L	10	245
5675011	L	11	264
5675012	L	12	283
5675013	L	13	302
5683503	R	3	112
5683504	R	4	131
5683505	R	5	150
5683506	R	6	169
5683507	R	7	188
5683508	R	8	207
5683509	R	9	226
5683510	R	10	245
5683511	R	11	264
5683512	R	12	283
5683513	R	13	302

Thickness	4.5 mm
Width	15 mm

Screws for this product	
5.0 mm - Locking Self Tapping Screw	
4.5 mm - Cortical Self Tapping Screw	
5.0 mm - Locking Cancellous Screw	

## ▶ TIBIA PROXIMAL MEDIAL PLATE, COMBI HOLE




CATALOG NO	SIDE	HOLE	LENGTH (mm)
5893504	L	4	108
5893505	L	5	125
5893506	L	6	142
5893507	L	7	159
5893508	L	8	176
5893509	L	9	193
5903504	R	4	108
5903505	R	5	125
5903506	R	6	142
5903507	R	7	159
5903508	R	8	176
5903509	R	9	193

Thickness	3.5 mm
Width	13.5 mm

Screws for this product	
5.0 mm - Locking Self Tapping Screw	
4.5 mm - Cortical Self Tapping Screw	
5.0 mm - Locking Cancellous Screw	

## ▶ LARGE NARROW LOCKING PLATE, COMBI HOLE



CATALOG NO	HOLE	LENGTH (mm)
5505004	4	88
5505005	5	106
5505006	6	124
5505007	7	142
5505008	8	160
5505009	9	178
5505010	10	196
5505011	11	214
5505012	12	232
5505013	13	250
5505014	14	268
5505015	15	286
5505016	16	304
5505018	18	322
5505020	20	340

Thickness	4.5 mm
Width	14 mm

Screws for this product
5.0 mm - Locking Self Tapping Screw
4.5 mm - Cortical Self Tapping Screw
5.0 mm - Locking Cancellous Screw

## ▶ TIBIA DISTAL LATERAL LOCKING PLATE, COMBI HOLE




CATALOG NO	SIDE	HOLE	LENGTH (mm)
5633503	L	3	71
5633504	L	4	84
5633505	L	5	97
5633506	L	6	110
5633507	L	7	123
5633508	L	8	136
5633509	L	9	149
5633510	L	10	162
5633511	L	11	175
5633512	L	12	188
5633513	L	13	201
5644503	R	3	71
5644504	R	4	84
5644505	R	5	97
5644506	R	6	110
5644507	R	7	123
5644508	R	8	136
5644509	R	9	149
5644510	R	10	162
5644511	R	11	175
5644512	R	12	188
5644513	R	13	201

Thickness	3.8 mm
Width	13 mm

Screws for this product
3.5 mm - Locking Self Tapping Screw
3.5 mm - Cortical Self Tapping Screw
3.5 mm - Locking Cancellous Screw
4.0 mm - Cancellous Screw

## TIBIA DISTAL LATERAL LOCKING PLATE, TP2




CATALOG NO	SIDE	HOLE	LENGTH (mm)
5633603	L	3	71
5633604	L	4	84
5633605	L	5	97
5633606	L	6	110
5633607	L	7	123
5633608	L	8	136
5633609	L	9	149
5633610	L	10	162
5633611	L	11	175
5633612	L	12	188
5633613	L	13	201
5644603	R	3	71
5644604	R	4	84
5644605	R	5	97
5644606	R	6	110
5644607	R	7	123
5644608	R	8	136
5644609	R	9	149
5644610	R	10	162
5644611	R	11	175
5644612	R	12	188
5644613	R	13	201

<b>Thickness</b>	3.8 mm
<b>Width</b>	13 mm

Screws for this product
3.5 mm - Locking Self Tapping Screw
3.5 mm - Cortical Self Tapping Screw
3.5 mm - Locking Cancellous Screw
4.0 mm - Cancellous Screw

## TIBIA DISTAL MEDIAL LOCKING PLATE, COMBI HOLE



CATALOG NO	SIDE	HOLE	LENGTH (mm)
5655003	L	3	113
5655004	L	4	129
5655005	L	5	145
5655006	L	6	161
5655007	L	7	177
5655008	L	8	193
5655009	L	9	209
5655010	L	10	225
5655011	L	11	241
5655012	L	12	257
5655013	L	13	273
5665003	R	3	113
5665004	R	4	129
5665005	R	5	145
5665006	R	6	161
5665007	R	7	177
5665008	R	8	193
5665009	R	9	209
5665010	R	10	225
5665011	R	11	241
5665012	R	12	257
5665013	R	13	273

<b>Thickness</b>	3.2 mm
<b>Width</b>	14 mm


Screws for this product
3.5 mm - Locking Self Tapping Screw
3.5 mm - Cortical Self Tapping Screw
3.5 mm - Locking Cancellous Screw
4.0 mm - Cancellous Screw



## TIBIA DISTAL MEDIAL LOCKING PLATE, 3.5/4.5/5.0 MM COMBI HOLE



CATALOG NO	SIDE	HOLE	LENGTH (mm)
5665014	L	3	113
5665015	L	4	129
5665016	L	5	145
5665017	L	6	161
5665018	L	7	177
5665019	L	8	193
5665020	L	9	209
5665021	L	10	225
5665022	L	11	241
5665023	L	12	257
5665024	L	13	273
5665025	R	3	113
5665026	R	4	129
5665027	R	5	145
5665028	R	6	161
5665029	R	7	177
5665030	R	8	193
5665031	R	9	209
5665032	R	10	225
5665033	R	11	241
5665034	R	12	257
5665035	R	13	273




<b>Thickness</b>	3.2 mm
<b>Width</b>	14 mm

Screws for this product
3.5 mm - Locking Self Tapping Screw
3.5 mm - Cortical Self Tapping Screw
3.5 mm - Locking Cancellous Screw
4.0 mm - Cancellous Screw
5.0 mm - Locking Self Tapping Screw
4.5 mm - Cortical Self Tapping Screw
5.0 mm - Locking Cancellous Screw

## FIBULA DISTAL LOCKING PLATE, COMBI HOLE




CATALOG NO	SIDE	HOLE	LENGTH (mm)
5693502	L	2	54
5693503	L	3	66
5693504	L	4	79
5693505	L	5	92
5693506	L	6	105
5693507	L	7	118
5693508	L	8	131
5693509	L	9	144
5693510	L	10	157
5693511	L	11	170
5693512	L	12	183
5693513	L	13	196
5703502	R	2	54
5703503	R	3	66
5703504	R	4	79
5703505	R	5	92
5703506	R	6	105
5703507	R	7	118
5703508	R	8	131
5703509	R	9	144
5703510	R	10	157
5703511	R	11	170
5703512	R	12	183
5703513	R	13	196



<b>Thickness</b>	3.0 mm
<b>Width</b>	10 mm

Screws for this product
2.5 mm - Locking Self Tapping Screw
2.5 mm - Cortical Self Tapping Screw
2.7 mm - Locking Self Tapping Screw
3.5 mm - Locking Self Tapping Screw
3.5 mm - Cortical Self Tapping Screw
3.5 mm - Locking Cancellous Screw

## ▶ FIBULA LOCKING PLATE, COMBI HOLE




CATALOG NO	SIDE	HOLE	LENGTH (mm)
5713502	L	2	50
5713503	L	3	62
5713504	L	4	74
5713505	L	5	86
5713506	L	6	98
5713507	L	7	110
5713508	L	8	122
5713509	L	9	134
5713510	L	10	146
5713511	L	11	158
5713512	L	12	170
5713513	L	13	182
5723502	R	2	50
5723503	R	3	62
5723504	R	4	74
5723505	R	5	86
5723506	R	6	98
5723507	R	7	110
5723508	R	8	122
5723509	R	9	134
5723510	R	10	146
5723511	R	11	158
5723512	R	12	170
5723513	R	13	182

<b>Thickness</b>	2.1 mm
<b>Width</b>	9.5 mm

Screws for this product
3.5 mm - Locking Self Tapping Screw
3.5 mm - Cortical Self Tapping Screw
3.5 mm - Locking Cancellous Screw
4.0 mm - Cancellous Screw

## ▶ CALCANEUS LOCKING PLATE



CATALOG NO	SIDE	HOLE	LENGTH (mm)
5373508	L	8	60
5383508	L	10	75
5373510	L	15	69
5383510	L	15	75
5373515	R	8	60
5383515	R	10	75
5373516	R	15	69
5383516	R	15	75

<b>Thickness</b>	2.0 mm
------------------	--------

Screws for this product
3.5 mm - Locking Self Tapping Screw
3.5 mm - Locking Cancellous Screw



**SCREWS**





**CANNULATED COMPRESSION SCREW Ø 2.7 MM**

CATALOG NO	SIZE (mm)
5 15 2220	20
5 15 2222	22
5 15 2224	24
5 15 2226	26
5 15 2228	28
5 15 2230	30
5 15 2232	32
5 15 2234	34
5 15 2236	36
5 15 2238	38
5 15 2240	40
5 15 2242	42
5 15 2244	44
5 15 2246	46
5 15 2248	48
5 15 2250	50




**CANNULATED COMPRESSION SCREW Ø 3.5 MM**

CATALOG NO	SIZE (mm)
5 15 2320	20
5 15 2322	22
5 15 2324	24
5 15 2326	26
5 15 2328	28
5 15 2330	30
5 15 2332	32
5 15 2334	34
5 15 2336	36
5 15 2338	38
5 15 2340	40
5 15 2342	42
5 15 2344	44
5 15 2346	46
5 15 2348	48
5 15 2350	50



**CANNULATED COMPRESSION SCREW Ø 4.5 MM**

CATALOG NO	SIZE (mm)
5 15 2425	25
5 15 2430	30
5 15 2435	35
5 15 2440	40
5 15 2445	45
5 15 2450	50
5 15 2455	55
5 15 2460	60
5 15 2465	65
5 15 2470	70
5 15 2475	75
5 15 2480	80
5 15 2485	85
5 15 2490	90



**CANNULATED COMPRESSION SCREW Ø 6.5 MM**

CATALOG NO	SIZE (mm)
5 15 2650	50
5 15 2655	55
5 15 2660	60
5 15 2665	65
5 15 2670	70
5 15 2675	75
5 15 2680	80
5 15 2685	85
5 15 2690	90
5 15 2695	95
5 15 2700	100
5 15 2705	105
5 15 2710	110
5 15 2715	115
5 15 2720	120



**CANNULATED COMPRESSION SCREW Ø 7.3 MM**

CATALOG NO	SIZE (mm)
5 15 2750	50
5 15 2755	55
5 15 2760	60
5 15 2765	65
5 15 2770	70
5 15 2775	75
5 15 2780	80
5 15 2785	85
5 15 2790	90
5 15 2795	95
5 15 2800	100
5 15 2805	105
5 15 2810	110
5 15 2815	115
5 15 2820	120



**LOCKING CANNULATED FULL THREAD SCREW Ø 6.5 MM**

CATALOG NO	SIZE (mm)
5 15 5650	50
5 15 5655	55
5 15 5660	60
5 15 5665	65
5 15 5670	70
5 15 5675	75
5 15 5680	80
5 15 5685	85
5 15 5690	90
5 15 5695	95
5 15 5700	100
5 15 5705	105
5 15 5710	110
5 15 5715	115
5 15 5720	120




**LOCKING CANNULATED FULL THREAD SCREW Ø 2.5 MM**

CATALOG NO	SIZE (mm)
5 15 2506	6
5 15 2507	7
5 15 2508	8
5 15 2509	9
5 15 2510	10
5 15 2511	11
5 15 2512	12
5 15 2513	13
5 15 2514	14
5 15 2515	15
5 15 2516	16
5 15 2517	17
5 15 2518	18
5 15 2519	19
5 15 2520	20
5 15 2522	22
5 15 2524	24
5 15 2526	26
5 15 2528	28
5 15 2530	30




**LOCKING CANNULATED FULL THREAD SCREW Ø 3.5 MM**

CATALOG NO	SIZE (mm)
5 15 3510	10
5 15 3512	12
5 15 3514	14
5 15 3516	16
5 15 3518	18
5 15 3520	20
5 15 3522	22
5 15 3524	24
5 15 3526	26
5 15 3528	28
5 15 3530	30
5 15 3532	32
5 15 3534	34
5 15 3536	36
5 15 3538	38
5 15 3540	40
5 15 3542	42
5 15 3544	44
5 15 3546	46
5 15 3548	48
5 15 3550	50
5 15 3554	54
5 15 3555	55
5 15 3556	56
5 15 3558	58
5 15 3560	60




**NONLOCKING SELF TAPPING CANCELLEOUS SCREW FULL THREAD Ø 4.0 MM**

CATALOG NO	SIZE (mm)
5 05 4010	10
5 05 4012	12
5 05 4014	14
5 05 4016	16
5 05 4018	18
5 05 4020	20
5 05 4022	22
5 05 4024	24
5 05 4026	26
5 05 4028	28
5 05 4030	30
5 05 4032	32
5 05 4034	34
5 05 4036	36
5 05 4038	38
5 05 4040	40
5 05 4045	45
5 05 4050	50
5 05 4055	55
5 05 4060	60




**NONLOCKING SELF TAPPING CANCELLEOUS SCREW FULL THREAD Ø 6.5 MM**

CATALOG NO	SIZE (mm)
5 05 6530	30
5 05 6535	35
5 05 6540	40
5 05 6545	45
5 05 6550	50
5 05 6555	55
5 05 6560	60
5 05 6565	65
5 05 6570	70
5 05 6575	75
5 05 6580	80
5 05 6585	85
5 05 6590	90
5 05 6595	95
5 05 6510	100
5 05 6515	105
5 05 6511	110
5 05 6516	115
5 05 6512	120



**NONLOCKING SELF TAPPING CANCELLEOUS SCREW HALF THREAD Ø 4.0 MM**

CATALOG NO	SIZE (mm)
5 05 4130	30
5 05 4135	35
5 05 4140	40
5 05 4145	45
5 05 4150	50
5 05 4155	55
5 05 4160	60
5 05 4165	65
5 05 4170	70



**NONLOCKING SELF TAPPING CANCELLEOUS SCREW HALF THREAD Ø 6.5 MM**

CATALOG NO	SIZE (mm)
5 05 6530	30
5 05 6535	35
5 05 6540	40
5 05 6545	45
5 05 6550	50
5 05 6555	55
5 05 6560	60
5 05 6565	65
5 05 6570	70
5 05 6575	75
5 05 6580	80
5 05 6585	85
5 05 6590	90
5 05 6595	95
5 05 6510	100
5 05 6515	105
5 05 6511	110
5 05 6516	115
5 05 6512	120



**LOCKING CANNULATED FULL THREAD SCREW Ø 5.0 MM**


CATALOG NO	SIZE (mm)
5 15 5016	16
5 15 5018	18
5 15 5020	20
5 15 5022	22
5 15 5024	24
5 15 5026	26
5 15 5028	28
5 15 5030	30
5 15 5032	32
5 15 5034	34
5 15 5036	36
5 15 5038	38
5 15 5040	40
5 15 5042	42
5 15 5044	44
5 15 5046	46
5 15 5048	48
5 15 5050	50
5 15 5052	52
5 15 5054	54
5 15 5055	55
5 15 5056	56
5 15 5058	58
5 15 5060	60
5 15 5062	62
5 15 5064	64

CATALOG NO	SIZE (mm)
5 15 5065	65
5 15 5066	66
5 15 5068	68
5 15 5070	70
5 15 5072	72
5 15 5074	74
5 15 5075	75
5 15 5076	76
5 15 5078	78
5 15 5080	80
5 15 5082	82
5 15 5084	84
5 15 5085	85
5 15 5086	86
5 15 5088	88
5 15 5090	90
5 15 5092	92
5 15 5094	94
5 15 5096	96
5 15 5098	98
5 15 5010	100
5 15 5011	102
5 15 5012	104
5 15 5013	106
5 15 5014	108
5 15 5015	110




**LOCKING CAP SCREW**

CATALOG NO	Ø	SIZE (mm)
5 97 2501	2.5	Small
5 97 2500	2.5	Large
5 97 3501	3.5	Small
5 97 3500	3.5	Large
5 97 5001	5.0	Small
5 97 5000	5.0	Large



LOCKING SELF TAPPING  
CANCELOUS SCREW Ø 5.0 MM

CATALOG NO	SIZE (mm)
5205020	20
5205022	22
5205024	24
5205026	26
5205028	28
5205030	30
5205032	32
5205034	34
5205036	36
5205038	38
5205040	40
5205042	42
5205044	44
5205046	46
5205048	48
5205050	50
5205052	52
5205054	54
5205055	55
5205056	56
5205058	58
5205060	60
5205062	62
5205064	64
5205065	65
5205066	66
5205068	68
5205070	70
5205072	72
5205074	74
5205075	75
5205076	76
5205078	78
5205080	80
5205082	82
5205084	84
5205085	85
5205086	86
5205088	88
5205090	90
5205092	92
5205094	94
5205096	96
5205098	98
5205010	100
5205011	102
5205012	104
5205013	106
5205014	108
5205015	110



LOCKING SELF TAPPING  
CANCELOUS SCREW Ø 4.0 MM

CATALOG NO	SIZE (mm)
5204010	10
5204012	12
5204014	14
5204016	16
5204018	18
5204020	20
5204022	22
5204024	24
5204026	26
5204028	28
5204030	30
5204035	35
5204040	40
5204045	45
5204050	50
5204055	55
5204060	60
5204065	65
5204070	70
5204075	75



SCREW STAMP  
(WASHER)

CATALOG NO	SIZE (mm)
5972901	Small
5972902	Medium
5972903	Large
5972904	XLarge
5972905	XX Large



CANNULATED CANCELOUS  
HERBERT SCREW Ø 2.5 MM

CATALOG NO	SIZE (mm)
5963608	8
5963609	9
5963610	10
5963612	12
5963614	14
5963616	16
5963618	18
5963620	20
5963622	22
5963624	24
5963626	26
5963628	28
5963630	30




CANNULATED CANCELOUS  
HERBERT SCREW Ø 3.0 MM

CATALOG NO	SIZE (mm)
5963008	8
5963010	10
5963012	12
5963014	14
5963016	16
5963018	18
5963020	20
5963022	22
5963024	24
5963026	26
5963028	28
5963030	30
5963032	32



CANNULATED CANCELOUS  
HERBERT SCREW Ø 4.0 MM

CATALOG NO	SIZE (mm)
5963720	20
5963722	22
5963724	24
5963726	26
5963728	28
5963730	30
5963732	32
5963734	34
5963736	36
5963738	38
5963740	40
5963742	42
5963744	44
5963746	46
5963748	48
5963750	50
5153542	42
5153544	44
5153546	46
5153548	48
5153550	50



CANNULATED CANCELOUS  
HERBERT SCREW Ø 5.0 MM

CATALOG NO	SIZE (mm)
5965020	20
5965022	22
5965024	24
5965026	26
5965028	28
5965030	30
5965032	32
5965034	34
5965036	36
5965038	38
5965040	40
5965045	45
5965050	50
5965055	55
5965060	60
5965065	65
5965070	70




HEADLESS CANNULATED FULL  
THREAD SCREW Ø 4.0 MM

CATALOG NO	SIZE (mm)
5963420	20
5963422	22
5963424	24
5963426	26
5963428	28
5963430	30
5963432	32
5963434	34
5963436	36
5963438	38
5963440	40
5963445	45
5963450	50
5963455	55
5963460	60
5963465	65
5963470	70



HEADLESS CANNULATED FULL  
THREAD SCREW Ø 5.0 MM

CATALOG NO	SIZE (mm)
5963520	20
5963525	25
5963530	30
5963535	35
5963540	40
5963545	45
5963550	50
5963555	55
5963560	60
5963565	65
5963570	70
5963575	75
5963580	80
5963585	85
5963590	90
5963595	95
5963600	100



HEADLESS CANNULATED FULL  
THREAD SCREW Ø 2.5 MM

CATALOG NO	SIZE (mm)
5963208	8
5963210	10
5963212	12
5963214	14
5963216	16
5963218	18
5963220	20
5963222	22
5963224	24
5963226	26
5963228	28
5963230	30



HEADLESS CANNULATED FULL  
THREAD SCREW Ø 3.5 MM

CATALOG NO	SIZE (mm)
5963312	12
5963314	14
5963316	16
5963318	18
5963320	20
5963322	22
5963324	24
5963326	26
5963328	28
5963330	30
5963332	32
5963334	34
5963336	36
5963338	38
5963340	40
5963342	42
5963344	44
5963346	46
5963348	48
5963350	50



**ARTFX**  
M E D I C A L



**NAIL**

**HUMERUS CANNULATED NAIL**



CATALOG NO	SIZE (mm)	LENGTH (mm)
6047185	7	185
6047200	7	200
6047215	7	215
6047230	7	230
6047245	7	245
6047260	7	260
6047275	7	275
6047290	7	290
6047305	7	305
6047320	7	320
6048185	8	185
6048200	8	200
6048215	8	215
6048230	8	230
6048245	8	245
6048260	8	260
6048275	8	275
6048290	8	290
6048305	8	305
6048320	8	320
6049185	9	185
6049200	9	200
6049215	9	215
6049230	9	230
6049245	9	245
6049260	9	260
6049275	9	275
6049290	9	290
6049305	9	305
6049320	9	320

**HUMERUS LOCKING SCREW 3.5 MM**



CATALOG NO	SIZE (mm)	LENGTH (mm)
6144120	3.5	20
6144125	3.5	25
6144130	3.5	30
6144135	3.5	35
6144140	3.5	40
6144145	3.5	45
6144150	3.5	50
6144155	3.5	55
6144160	3.5	60
6144165	3.5	65
6144170	3.5	70
6144175	3.5	75
6144180	3.5	80

**HUMERUS LOCKING SCREW 4.0 MM**



CATALOG NO	SIZE (mm)	LENGTH (mm)
6144020	4	20
6144025	4	25
6144030	4	30
6144035	4	35
6144040	4	40
6144045	4	45
6144050	4	50
6144055	4	55
6144060	4	60
6144065	4	65
6144070	4	70
6144075	4	75
6144080	4	80

**HUMERUS END CAP**



CATALOG NO	SIZE (mm)
6091200	0
6091205	5
6091210	10

**PFNA NAIL**



CATALOG NO	SIDE	SIZE (mm)	LENGTH (mm)
6079240	L/R	9	240
6079200	L/R	9	200
6079170	L/R	9	170
6071024	L/R	10	240
6071020	L/R	10	200
6071070	L/R	10	170
6071124	L/R	11	240
6071120	L/R	11	200
6071170	L/R	11	170
6071324	L/R	13	240
6071320	L/R	13	200
6071370	L/R	13	170
6081030	R	10	300
6081020	R	10	320
6081034	R	10	340
6081060	R	10	360
6081038	R	10	380
6081040	R	10	400
6071030	L	10	300
6071032	L	10	320
6071034	L	10	340
6071036	L	10	360
6071038	L	10	380
6071040	L	10	400
6091130	R	11	300
6091132	R	11	320
6091134	R	11	340
6091136	R	11	360
6091138	R	11	380
6091140	R	11	400

CATALOG NO	SIDE	SIZE (mm)	LENGTH (mm)
6101130	L	11	300
6101132	L	11	320
6101134	L	11	340
6101136	L	11	360
6101138	L	11	380
6101140	L	11	400
6101230	R	12	300
6101232	R	12	320
6101234	R	12	340
6101236	R	12	360
6101238	R	12	380
6101240	R	12	400
6111230	L	12	300
6111232	L	12	320
6111234	L	12	340
6111236	L	12	360
6111238	L	12	380
6111240	L	12	400
6131330	R	13	300
6131332	R	13	320
6131334	R	13	340
6131336	R	13	360
6131338	R	13	380
6131340	R	13	400
6141330	L	13	300
6141332	L	13	320
6141334	L	13	340
6141336	L	13	360
6141338	L	13	380
6141340	L	13	400



### ▶ PFNA NAIL LOCKING SCREW



CATALOG NO	SIZE (mm)	LENGTH (mm)
6144520	5	20
6144525	5	25
6144530	5	30
6144535	5	35
6144540	5	40
6144545	5	45
6144550	5	50
6144555	5	55
6144560	5	60
6144565	5	65
6144570	5	70
6144575	5	75
6144580	5	80
6144585	5	85
6144590	5	90
6144595	5	95
6144600	5	100
6144605	5	105
6144610	5	110
6144615	5	115
6144620	5	120

### ▶ PFNA ANTI ROTATION LOCKING SCREW



CATALOG NO	LENGTH (mm)
6121065	65
6121070	70
6121075	75
6121080	80
6121085	85
6121090	90
6121095	95
6121100	100
6121105	105
6121110	110
6121115	115
6121120	120

### ▶ PFNA COMPRESSION LOCKING SCREW



CATALOG NO	LENGTH (mm)
6131065	65
6131070	70
6131075	75
6131080	80
6131085	85
6131090	90
6131095	95
6131100	100
6131105	105
6131110	110
6131115	115
6131120	120

### ▶ PFNA NAIL END CAP



CATALOG NO	LENGTH (mm)
6091400	0
6091405	5
6091410	10
6091415	15
6091420	20

### ▶ PFNA NAIL END INSERT LOCKING CAP



CATALOG NO	LENGTH (mm)
6091500	-

### ▶ INTRAMEDULAR CANNULATED LATERAL FEMUR NAIL



CATALOG NO	SIDE	SIZE (mm)	LENGTH (mm)
6041030	L	10	300
6051030	R	10	300
6041032	L	10	320
6051032	R	10	320
6041034	L	10	340
6051034	R	10	340
6041036	L	10	360
6051036	R	10	360
6041038	L	10	380
6051038	R	10	380
6041040	L	10	400
6051040	R	10	400
6041042	L	10	420
6051042	R	10	420
6041044	L	10	440
6051044	R	10	440
6051130	L	11.5	300
6061130	R	11.5	300
6051132	L	11.5	320
6061132	R	11.5	320
6051134	L	11.5	340
6061134	R	11.5	340
6051136	L	11.5	360
6061136	R	11.5	360

CATALOG NO	SIDE	SIZE (mm)	LENGTH (mm)
6051138	L	11.5	380
6061138	R	11.5	380
6051140	L	11.5	400
6061140	R	11.5	400
6051142	L	11.5	420
6061142	R	11.5	420
6051144	L	11.5	440
6061144	R	11.5	440
6051330	L	13	300
6061330	R	13	300
6051332	L	13	320
6061332	R	13	320
6051334	L	13	340
6061334	R	13	340
6051336	L	13	360
6061336	R	13	360
6051338	L	13	380
6061338	R	13	380
6051340	L	13	400
6061340	R	13	400
6051342	L	13	420
6061342	R	13	420
6051344	L	13	440
6061344	R	13	440

**LATERAL FEMUR NAIL LOCKING SCREW**



CATALOG NO	SIZE (mm)	LENGTH (mm)
6134520	5	20
6134525	5	25
6134530	5	30
6134535	5	35
6134540	5	40
6134545	5	45
6134550	5	50
6134555	5	55
6134560	5	60
6134565	5	65
6134570	5	70
6134575	5	75
6134580	5	80
6134585	5	85
6134590	5	90
6134595	5	95
6135100	5	100
6135105	5	105
6135110	5	110
6135115	5	115
6135120	5	120

**LATERAL FEMUR NAIL CANNULATED LAG SCREW**



CATALOG NO	SIZE (mm)	LENGTH (mm)
6106565	6.5	65
6106570	6.5	70
6106575	6.5	75
6106580	6.5	80
6106585	6.5	85
6106590	6.5	90
6106595	6.5	95
6116100	6.5	100
6116105	6.5	105
6116110	6.5	110
6116115	6.5	115
6116120	6.5	120

**TIBIAL NAIL CANNULATED**



CATALOG NO	SIZE (mm)	LENGTH (mm)
6039280	9	280
6039300	9	300
6039320	9	320
6039340	9	340
6039360	9	360
6039380	9	380
6039390	9	400
6031028	10	280
6031030	10	300
6031032	10	320
6031034	10	340
6031036	10	360
6031038	10	380
6031040	10	400

CATALOG NO	SIZE (mm)	LENGTH (mm)
6031128	11	280
6031130	11	300
6031132	11	320
6031134	11	340
6031136	11	360
6031138	11	380
6031140	11	400
6031228	12	280
6031230	12	300
6031232	12	320
6031234	12	340
6031236	12	360
6031238	12	380
6031240	12	400

**LATERAL FEMUR NAIL END CAP**



CATALOG NO	LENGTH (mm)
6091100	0
6091105	5
6091110	10
6091115	15
6091120	20

**TIBIAL NAIL LOCKING SCREW 4.5 MM**



CATALOG NO	SIZE (mm)	LENGTH (mm)
6154520	4.5	20
6154525	4.5	25
6154530	4.5	30
6154535	4.5	35
6154540	4.5	40
6154545	4.5	45
6154550	4.5	50
6154555	4.5	55
6154560	4.5	60
6154565	4.5	65
6154570	4.5	70
6154575	4.5	75
6154580	4.5	80
6154585	4.5	85
6154590	4.5	90
6154595	4.5	95
6154600	4.5	100

**TIBIAL NAIL LOCKING SCREW 5.0 MM**



CATALOG NO	SIZE (mm)	LENGTH (mm)
6164525	5	25
6164530	5	30
6164535	5	35
6164540	5	40
6164545	5	45
6164550	5	50
6164555	5	55
6164560	5	60
6164565	5	65
6164570	5	70
6164575	5	75
6164580	5	80
6164585	5	85
6164590	5	90
6164595	5	95
6164600	5	100

**TIBIAL NAIL END CAP**



CATALOG NO	SIZE (mm)
6101400	0
6101405	5
6101410	10
6101415	15
6101420	20


**PIN**



CATALOG NO	SIZE (mm)
6015500	Small
6015510	Medium
6015515	Large

**FLEXIBLE INTRAMEDULLARY NAIL**

CATALOG NO	SIZE (mm)	LENGTH (mm)
6012400	2.0	400
6022400	2.5	400
6013400	3.0	400
6023400	3.5	400
6014400	4.0	400
6024400	4.5	400
6015400	5.0	400



**FLEXIBLE INTRAMEDULLARY NAIL END CAP**



CATALOG NO
6091000





**MINI PLATE**

▶ 1.5 MINI LOCKING STRAIGHT PLATE



CATALOG NO	SIDE	HOLE	THICKNESS
5251501	L/R	4	1.2
5251502	L/R	6	1.2
5251503	L/R	6	1.2
5251504	L/R	12	1.2

▶ 1.5 MINI LOCKING T PLATE, HEAD 3



CATALOG NO	SIDE	HOLE	THICKNESS
5251507	L/R	4	1.2
5251508	L/R	8	1.2

▶ 1.5 MINI LOCKING STRUT PLATE




CATALOG NO	SIDE	HOLE	THICKNESS
5251513	L	8	0.8
5251514	R	8	0.8

▶ 1.5 MINI NONLOCKING STRAIGHT PLATE



CATALOG NO	SIDE	HOLE	THICKNESS
5221502	L/R	14	0.8

▶ 1.5 MINI LOCKING H PLATE



CATALOG NO	SIDE	HOLE	THICKNESS
5221501	L/R	8	0.8

▶ 1.5 MINI LOCKING T PLATE, HEAD 4



CATALOG NO	SIDE	HOLE	THICKNESS
5251617	L/R	6	1.0

▶ 1.5 MINI NONLOCKING Mallet Finger Plate



CATALOG NO	SIDE	HOLE	THICKNESS
5221500	L/R	2	0.8

▶ 1.5 MINI NONLOCKING T PLATE, HEAD 4



CATALOG NO	SIDE	HOLE	THICKNESS
5251515	L/R	6	0.8

▶ 1.5 MINI LOCKING Y PLATE



CATALOG NO	SIDE	HOLE	THICKNESS
5251509	L/R	4	1.2
5251510	L/R	8	1.2

▶ 1.5 MINI LOCKING CONDYLAR PLATE



CATALOG NO	SIDE	HOLE	THICKNESS
5251511	L/R	4	1.2
5251512	L/R	8	1.2

▶ 2.0 MINI LOCKING STRAIGHT PLATE




CATALOG NO	SIDE	HOLE	THICKNESS
5252000	L/R	4	1.5
5252001	L/R	5	1.5
5252002	L/R	6	1.5
5252003	L/R	7	1.5
5252004	L/R	8	1.5

▶ 2.0 MINI LOCKING T PLATE



CATALOG NO	SIDE	HOLE	THICKNESS
5252007	R	3	1.2
5252008	R	5	1.2
5252009	R	7	1.2
5252010	L	3	1.2
5252011	L	5	1.2
5252012	L	7	1.2

▶ 2.5 MINI LOCKING H PLATE



CATALOG NO	SIDE	HOLE	THICKNESS
5252415	L/R	5	1.5
5252418	L/R	8	1.5

▶ 2.5 MINI LOCKING STRAIGHT PLATE



CATALOG NO	SIDE	HOLE	THICKNESS
5252500	L/R	4	2.5
5252501	L/R	5	2.5
5252502	L/R	6	2.5
5252503	L/R	7	2.5
5252504	L/R	8	2.5
5252505	L/R	10	2.5

▶ 2.0 MINI LOCKING CONDYLAR PLATE



CATALOG NO	SIDE	HOLE	THICKNESS
5252013	L/R	3	1.2
5252014	L/R	5	1.2
5252015	L/R	7	1.2

▶ 2.0 MINI ADAPTATION STRAIGHT PLATE



CATALOG NO	SIDE	HOLE	THICKNESS
5252005	L/R	6	1.2
5252006	L/R	12	1.2

▶ 2.5 MINI LOCKING STRAIGHT PLATE



CATALOG NO	SIDE	HOLE	THICKNESS
5252500	L/R	4	2.0
5252501	L/R	5	2.0
5252502	L/R	6	2.0
5252503	L/R	7	2.0
5252504	L/R	8	2.0
5252505	L/R	10	2.0

▶ 2.5 MINI LOCKING T PLATE HEAD 2



CATALOG NO	SIDE	HOLE	THICKNESS
5252508	L/R	3	1.3
5252509	L/R	5	1.3
5252510	L/R	7	1.3

▶ 2.0 MINI ADAPTATION T PLATE



CATALOG NO	SIDE	HOLE	THICKNESS
5252016	L/R	3	1.2
5252017	L/R	5	1.2
5252018	L/R	7	1.2

▶ 2.5 MINI LOCKING T PLATE HEAD 3



CATALOG NO	SIDE	HOLE	THICKNESS
5252511	L/R	3	1.5
5252512	L/R	5	1.5
5252513	L/R	7	1.5

▶ 2.5 MINI LOCKING CONDYLAR PLATE



CATALOG NO	SIDE	HOLE	THICKNESS
5252514	L/R	3	1.3
5252515	L/R	5	1.3
5252517	L/R	7	1.3

▶ 2.5 FOOT LOCKING X PLATE




CATALOG NO	SIDE	HOLE	THICKNESS
5252419	L/R	S	1.5
5252420	L/R	M	1.5
5252421	L/R	L	1.5

▶ 2.5 MINI LOCKING L PLATE OBLIQUE



CATALOG NO	SIDE	HOLE	THICKNESS
5252408	L	3	1.5
5252409	L	4	1.5
5252411	R	3	1.5
5252412	R	4	1.5

▶ 2.7 MINI LOCKING H PLATE



CATALOG NO	SIDE	HOLE	THICKNESS
5252725	L/R	5	1.8
5252726	L/R	8	1.8

▶ 2.7 MINI LOCKING STRAIGHT PLATE



CATALOG NO	SIDE	HOLE	THICKNESS
5252724	L/R	2	2.5
5252700	L/R	4	2.5
5252701	L/R	5	2.5
5252702	L/R	6	2.5
5252703	L/R	7	2.5
5252704	L/R	8	2.5
5252705	L/R	10	2.5

▶ 2.5 MINI LOCKING L PLATE



CATALOG NO	SIDE	HOLE	THICKNESS
5252410	L	3	1.5
5252413	L	4	1.5
5252416	R	3	1.5
5252417	R	4	1.5

▶ 2.0 MINI ADAPTATION STRAIGHT PLATE



CATALOG NO	SIDE	HOLE	THICKNESS
5252506	L/R	6	1.6
5252507	L/R	12	1.6

▶ 2.7 MINI LOCKING T PLATE



CATALOG NO	SIDE	HOLE	THICKNESS
5252708	L/R	3	1.8
5252709	L/R	4	1.8

▶ 2.7 MINI LOCKING CONDYLAR PLATE



CATALOG NO	SIDE	HOLE	THICKNESS
5252718	L/R	3	1.8
5252719	L/R	5	1.8
5252720	L/R	7	1.8

▶ 2.0 MINI LOCKING T PLATE



CATALOG NO	SIDE	HOLE	THICKNESS
5252519	L/R	3	1.6
5252520	L/R	5	1.6
5252521	L/R	7	1.6

▶ 2.7 MINI LOCKING X PLATE



CATALOG NO	SIDE	HOLE	THICKNESS
5252721	L/R	S	1.8
5252722	L/R	M	1.8
5252723	L/R	L	1.8

▶ 2.5 MINI LOCKING L PLATE OBLIQUE



CATALOG NO	SIDE	HOLE	THICKNESS
5252710	L	3	1.8
5252711	L	4	1.8
5252712	R	3	1.8
5252713	R	4	1.8

▶ 2.7 MINI LOCKING L PLATE



CATALOG NO	SIDE	HOLE	THICKNESS
5 2 5 2 7 1 4	L	3	1.8
5 2 5 2 7 1 5	L	4	1.8
5 2 5 2 7 1 6	R	3	1.8
5 2 5 2 7 1 7	R	4	1.8

▶ 2.7 MINI ADAPTATION LOCKING STRAIGHT PLATE



CATALOG NO	SIDE	HOLE	THICKNESS
5 2 5 2 7 0 6	L/R	6	1.8
5 2 5 2 7 0 7	L/R	12	1.8

▶ METACARPAL FUSION PLATE



CATALOG NO	SIDE	THICKNESS
5 2 5 2 8 1 5	NARROW	2.0
5 2 5 2 8 1 6	BROAD	2.0

▶ MINI FOOT METATARSAL FUSION PLATE



CATALOG NO	SIDE	ANGLE	THICKNESS
5 2 5 2 8 1 7	R	0	2.0
5 2 5 2 8 1 8	R	5	2.0
5 2 5 2 8 1 9	R	15	2.0
5 2 5 2 8 2 0	L	0	2.0
5 2 5 2 8 2 1	L	5	2.0
5 2 5 2 8 2 2	L	15	2.0









## T06 MINI PLATE SYSTEM



## ▶ T06 MINI PLATE & SCREW

- Low profile of plate/screw minimize patient palpability
- Time savings through a variety of plates, screws & instruments
- Safety & convenience due to stable & wireless fixation
- Easy selection of plates by colors
- The most ideal implant material "Titanium"
- High strength but easily formed to match bone contours
- Static free X-ray, CT and MRI
- Innovative Screw design allows for low insertion torque
- Rounded edges on plates decrease soft tissue irritation
- Reversible plates allow for lesser inventory
- Standardized instrumentation secures ease of use



## ▶ MINI TORNILLO DE PLACA T06


- El bajo perfil de la placa y el tornillo minimiza la palpabilidad en el paciente
- La variedad de placas, tornillos e instrumentos permite reducir los tiempos
- Seguridad y comodidad gracias a la fijación estable y sin alambre
- Fabricados en titanio, el material ideal para los implantes
- Alta resistencia pero facilidad de adaptación al contorno óseo
- Rayos X CT y MRI libres de estática
- El innovador diseño de los tornillos permite pares de inserción bajos
- Los bordes redondeados de las placas reducen la irritación en los tejidos blandos
- La instrumentación estandarizada facilita el uso




### YORK STABILIZATION SCREW




CATALOG NO	Size
5 2 5 1 6 0 3	1.6 mm- 3.0 mm
5 2 5 1 6 0 4	1.6 mm- 4.0 mm
5 2 5 1 6 0 5	1.6 mm- 5.0 mm
5 2 5 1 6 0 6	1.6 mm- 6.0 mm
5 2 5 1 6 0 7	1.6 mm- 7.0 mm
5 2 5 1 6 0 8	1.6 mm- 8.0 mm
5 2 5 1 7 0 5	1.9 mm- 5.0 mm
5 2 5 1 7 0 7	1.9 mm- 7.0 mm



### YORK STABILIZATION PLATE 1.6 MM SYSTEM



CATALOG NO	Size
5 2 5 1 6 1 0	MINI SQUARE PLATE T 0.6mm 4 Holes
5 2 5 1 6 1 1	MINI SQUARE PLATE T 0.6mm 6 Holes
5 2 5 1 6 1 2	MINI SQUARE PLATE T 0.6mm 8 Holes
5 2 5 1 6 1 3	MINI SQUARE PLATE T 0.6mm (30mm-40mm)
5 2 5 1 6 1 4	MINI SQUARE PLATE T 0.6mm (100mm-100mm)
5 2 5 1 6 1 5	MINI SQUARE PLATE T 0.6mm (150mm-150mm)
5 2 5 1 6 1 6	MINI BURR HOLE PLATE T 0.6mm - 13mm
5 2 5 1 6 1 7	MINI BURR HOLE PLATE T 0.6mm - 18.5mm
5 2 5 1 6 1 8	MINI BURR HOLE PLATE T 0.6mm - 22mm
5 2 5 1 6 1 9	MINI STRAIGHT PLATE LONG T 0.6mm 16 Holes
5 2 5 1 6 2 0	MINI PLATE LONG T 0.6mm
5 2 5 1 6 2 1	MINI PLATE SHORT T 0.6mm
5 2 5 1 6 2 2	MINI ORBIT PLATE T 0.6mm 6 Holes
5 2 5 1 6 2 3	MINI ORBIT PLATE T 0.6mm 8 Holes
5 2 5 1 6 2 4	MINI ORBIT PLATE T 0.6mm 10 Holes
5 2 5 1 6 2 5	MINI X-PLATE T 0.6mm 6 Holes
5 2 5 1 6 2 6	MINI X-PLATE SHORT T 0.6mm 6 Holes
5 2 5 1 6 2 7	MINI X-PLATE T 0.6mm 4 Holes
5 2 5 1 6 2 8	MINI X-PLATE T 0.6mm 5 Holes 12 mm
5 2 5 1 6 2 9	MINI Y-PLATE T 0.6mm 5 Holes 8 mm
5 2 5 1 6 3 0	MINI Y-PLATE T 0.6mm 5 Holes
5 2 5 1 6 3 1	MINI T-PLATE T 0.6mm 6 Holes
5 2 5 1 6 3 2	MINI T-PLATE T 0.6mm 5 Holes 8 mm
5 2 5 1 6 3 3	MINI LEFT L - PLATE T 0.6mm 16 Holes
5 2 5 1 6 3 4	MINI RIGHT L - PLATE T 0.6mm 4 Holes 10 mm
5 2 5 1 6 3 5	MINI LEFT L - PLATE T 0.6mm 4 Holes 10 mm
5 2 5 1 6 3 6	MINI RIGHT L - PLATE T 0.6mm 4 Holes 8 mm
5 2 5 1 6 3 7	MINI LEFT L - PLATE T 0.6mm 4 Holes 8 mm
5 2 5 1 6 3 8	MINI RIGHT L - PLATE T 0.6mm 4 Holes
5 2 5 1 6 3 9	MINI LEFT L - PLATE T 0.6mm 4 Holes
5 2 5 1 6 4 0	MINI RIGHT L - PLATE T 0.6mm 4 Holes 6 mm
5 2 5 1 6 4 1	MINI STRAIGHT PLATE T 0.6mm 8 Holes
5 2 5 1 6 4 2	MINI STRAIGHT PLATE T 0.6mm 6 Holes 12 mm
5 2 5 1 6 4 3	MINI STRAIGHT PLATE T 0.6mm 6 Holes
5 2 5 1 6 4 4	MINI STRAIGHT PLATE T 0.6mm 4 Holes 4 mm
5 2 5 1 6 4 5	MINI STRAIGHT PLATE T 0.6mm 4 Holes 6 mm
5 2 5 1 6 4 6	MINI STRAIGHT PLATE T 0.6mm 4 Holes 8 mm
5 2 5 1 6 4 7	MINI STRAIGHT PLATE T 0.6mm 4 Holes





**ARTFX**  
M E D I C A L

[www.artfxmed.com](http://www.artfxmed.com)

---

50 Laura St N 25th Floor  
Jacksonville, FL 32202 U.S.A.